N. C. Doc.

MAR 2 6 1985

#### **BIENNIAL REPORT**

OF THE

# North Carolina Sanatorium

AND THE

# Western North Carolina Sanatorium BLACK MOUNTAIN



FOR THE TWO YEARS ENDED JUNE 30, 1940

July 1 - xlore 30 - 40

#### BOARD OF DIRECTORS

Mr. L. L. Gravely, Chairman	Rocky Mount
Mr. E. A. Rasberry, Vice-Chairman	Snow Hill
Mr. R. L. Harris, Secretary	Roxboro
Mr. R. E. FINCH	Black Mountain
Mr. Robert M. Hanes	Winston-Salem
Dr. Thurman D. Kitchin	Wake Forest
Mr. Laurie McEachern	Raeford
Dr. J. W. McGehee	Reidsville
Mrs. Max T. Payne	Greensboro
Dr. Carl V. Reynolds	
*Dr. M. L. Stevens	Asheville
Dr. T. W. M. Long	Roanoke Rapids
Dr. Lester P. Martin	Mocksville

#### PERSONNEL

#### NORTH CAROLINA SANATORIUM

P. P. McCain, M.D. C. D. Thomas, M.D. Associate F. T. Harper, M.D. C. L. Gray, M.D.	Superintendent and Medical Director Resident Physician
ISAAC HOROWITZ, M.D.	•
LEOPOLD MARKS, M.D.	•
G. M. WILKINS, M.D.	Assistant Physician, Negro Division
MARTHA C. NEWMAN, R.N. (1938-39)	Superintendent of Nurses
EULA RACKLEY, R.N. (1939-1940)	Superintendent of Nurses
R. G. WHARTON, D.D.S.	Dentist
H. L. SATTERWHITE	Laboratory and X-ray Technician
F. L. EUBANKS	Purchasing Officer
C. C. Moss	Cashier
Mrs. C. W. Covington	Secretary to Superintendent
MISS CARRIE TOOMER	Dietitian
J. L. BEALL	Farm Superintendent
R. S. Perry	Chief Engineer
CARRIE BROADFOOT, R.N. Supe	erintendent of Nurses, Negro Division

# EXTENSION DEPARTMENT OF THE NORTH CAROLINA SANATORIUM FOR THE TREATMENT OF TUBERCULOSIS

P. P. McCain, M.D.			Director
H. F. EASOM, M.D.	Chief	Clinic	Physician
John S. Denholm, M.D. (1938-1939)		Clinic	Physician
G. C. GODWIN, M.D.		Clinic	Physician
R. T. JENKINS, M.D. (1938-1939)		Clinic	Physician
L. B. SKEEN, M.D.		Clinic	Physician
W. H. ROPER, M.D.		Clinic	Physician

<sup>\*</sup>Deceased.

#### CONSULTING STAFF NORTH CAROLINA SANATORIUM

Dr. C. R. Monroe, thoracic and general surgery	Pinehurst
Dr. V. K. Hart, bronchoscopy and laryngology	Charlotte
Dr. James M. Lilly, eye, ear, nose and throat	_ Fayetteville
Dr. W. P. McKay, eye, ear, nose and throat	Fayetteville
Dr. O. L. Miller, orthopedic surgery	Charlotte
Dr. David T. Smith, bacteriology and internal medicine	Durham
Dr. J. D. Highsmith, surgery	_ Fayetteville
Dr. Deryl Hart, surgery	Durham
Dr. James B. Bullitt, pathology	Chapel Hill
Dr. Wm. deB. MacNider, pharmacology	Chapel Hill

#### PERSONNEL

#### WESTERN NORTH CAROLINA SANATORIUM

P. P. McCain, M.D.	Superintendent
S. M. BITTINGER, M.D.	Associate Supt. and Medical Director
A. L. ORMOND, M.D.	Resident Physician
H. E. Wood, M.D.	Assistant Physician
J. C. Burge, M.D.	Assistant Physician
CREOLYA SNODGRASS, R.N.	Superintendent of Nurses
R. G. WHARTON, D.D.S.	Dentist
IRVIN PAGE	Laboratory and X-ray Technician
W. N. BANKS	Purchasing Officer
Mrs. Lawrence Barnhill	Secretary to Medical Director
S. J. Stutts	Chief Engineer

#### CONSULTING STAFF

Dr. Julian A. Moore, thoracic surgery	Asheville
Dr. F. Webb Griffith, general surgery	
Dr. John T. Saunders, orthopedic surgery	Asheville
Dr. Thomas R. Huffines, genito-urinary surgery	Asheville
Dr. Arthur Ambler, anesthesia	Asheville
Dr. Joseph T. Greene, ear, nose and throat	Asheville
Dr. G. S. Tennant, diseases of the cye	Asheville
Dr. Curtis Crump, pathology	Asheville
Dr. A. B. Craddock, internal medicine	Asheville
Dr. Lewis Beall, psychiatry	Black Mountain
Dr. Charles H. Cocke, diseases of the chest	Asheville
Dr. Paul H. Ringer, diseases of the chest	Asheville
*Dr. M. L. Stevens, diseases of the chest	Asheville
Dr. C. C. Orr, diseases of the chest	Asheville
Dr. C. D. W. Colby, diseases of the chest	Asheville
Dr. Edward W. Schoenheit, diseases of the chest	Asheville
Dr. J. W. Huston, diseases of the chest	
Dr. Wilson Pendleton, diseases of the chest	Asheville
Dr. I. J. Archer, diseases of the chest	Black Mountain
Dr. Karl Schaffle, diseases of the chest	Asheville

<sup>\*</sup>Deceased.

#### LETTER OF TRANSMITTAL

His Excellency Gov. CLYDE R. HOEY Raleigh, N. C.

SIR:

I have the honor to transmit herewith the report of the Superintendent of Operations of the North Carolina Sanatorium and Western North Carolina Sanatorium for the Treatment of Tuberculosis for the biennium ending June 30, 1940, together with report on the status of the proposed Eastern Carolina Sanatorium to be located at Wilson, N. C.

We are happy to call attention to a decrease in the death rate from tuberculosis in the State during the past year but desire to again emphasize the need for adequate facilities for the prevention and cure of this scourge. The work of early diagnosis has been expanded and we are indebted to the private physicians, the health and welfare officers, and the school authorities for their splendid coöperation. The facilities for the care and treatment of patients have been enlarged through the completion of units at both institutions.

We have not been able to successfully work out an arrangement for Federal participation to the required extent of forty-five per cent for the construction of the Sanatorium at Wilson and we respectfully urge that the coming General Assembly make immediately available an additional sum adequate to construct an Eastern North Carolina Sanatorium to meet the great need of this section of the State.

On behalf of the Board I desire to express to the Superintendent and his staff at both institutions our thanks for and appreciation of the splendid manner in which they have performed their respective duties.

The members of the Board have been diligent and interested in the fulfillment of their responsibilities and I desire to express to them my profound appreciation of their interest in and attention to the work in which we are all engaged.

Respectfully submitted,

L. Lee Gravely, Chairman, Board of Directors.

#### REPORT OF THE SUPERINTENDENT

The Board of Directors of the North Carolina Sanatorium and of the Western North Carolina Sanatorium,

Mr. L. L. Gravely, Chairman.

#### Gentlemen:

Herewith is submitted the report of the North Carolina Sanatorium and of the Western North Carolina Sanatorium for the biennium ending June 30, 1940.

Separate statistical and financial reports are made of the North Carolina Sanatorium with its white, children, Negro and prison divisions and its extension department, and of the Western North Carolina Sanatorium, which is under the capable direction of the associate superintendent and medical director, Dr. S. M. Bittinger.

There has been a still further reduction in the tuberculosis mortality rate during the biennium. In 1937 the mortality rate from tuberculosis in North Carolina was 54.8 per 100,000, and in 1939 it was 51. Although North Carolina is a tuberculosis resort state and although the state has a 30% Negro population, in which the death rate is more than three times that of the white, the tuberculosis mortality rate for North Carolina was only 4.4 per 100,000 higher than the average for the United State.

Experience has shown that the control of tuberculosis depends first on early diagnosis and second on isolation and treatment of the active cases.

#### EARLY DIAGNOSIS

At both the North Carolina Sanatorium and the Western North Carolina Sanatorium diagnostic clinics are conducted daily except Sunday, and the extension department of the North Carolina Sanatorium keeps three clinic physicians in the field who work in coöperation with private physicians and with county, health, school and welfare authorities. Since school children under twelve years of age rarely have active tuberculosis, we have been limiting our school clinics to pupils twelve years of age and over and to those under twelve who have suspicious symptoms and to those who have been exposed to

known cases of active tuberculosis. The study of school and college students is made by giving the tuberculin test and by making X-ray films of the positive reactors. In recent years we have been able to get a number of the county health officers to give the tuberculin test themselves. Of the 121,911 school children and teachers studied during the biennium health officers gave the tuberculin tests to 87,145. We send our X-ray technicians from the North Carolina Sanatorium to make the X-ray films. They are brought back to the sanatorium for development and are read by our clinic physicians.

We use portable fluoroscopes in our adult clinics, and we find that practically all cases of tuberculosis, even those in the early, curable and non-contagious stage, can be detected by means of the fluoroscope. It is necessary to have only the suspicious and positive cases X-rayed, usually not more than one out of every ten or twelve examined. We are greatly pleased, too, that the State Board of Health has recently provided a number of the county health departments with modern stationary fluoroscopes for use both in connection with their chest and syphilitic clinics. We hope that arrangements can be made whenever these fluoroscopes are provided for a weekly tuberculosis clinic to be conducted by a local physician or by the county health officer. We have offered to train physicians in the use of the fluoroscope whenever it is not possible to secure the services of an experienced fluoroscopist locally and several have taken advantage of our offer.

The Rosenwald Fund, of which Dr. M. O. Bousfield is medical director, has also offered to pay the salary of local Negro physicians to conduct tuberculosis clinics twice a week wherever a fluoroscope is available and provided the county health department will sponsor the clinic. Durham county has already arranged for such a clinic at Lincoln hospital to be held one afternoon and one evening each week.

We have found the private physicians of the state, the county health officers and the school and welfare authorities most coöperative. The county health officers make the preliminary arrangements for our field clinics and they do the follow-up work. Private physicians have shown a readiness to avail themselves of the service which we provide for the interpretation of chest X-ray films. During the biennium at the two institutions physicians sent in 7,733 chest films for interpretation.

This has proven one of our most useful means of discovering early cases of tuberculosis.

Recently equipment has been brought forward for making miniature X-ray films of the chest. Both 4 x 5 inch and 35-millimeter size films are being used. The procedure consists in making a photograph of the fluoroscopic image of the chest, and the films are called fluorographs. When the equipment is improved and is produced in quantity it will mark a forward step in tuberculosis control, for with one machine a thousand or more X-ray films can be made a day at a small fraction of the present cost per film. At present, however, the equipment is too expensive and imperfectly developed to justify its purchase.

# ADDITIONAL SANATORIUM BEDS FOR ISOLATION AND TREATMENT

During the biennium there has been encouraging progress in providing additional beds for the isolation and treatment of active cases both by the state and the counties. During March 1939 the Gravely wing for patients and the nurses home at the Western North Carolina Sanatorium, which were built with PWA help, were dedicated with appropriate ceremonies and with addresses by Mr. L. L. Gravely and by the Secretary of State, Mr. Thad Eure. The Gravely wing is a duplicate of the Rasberry wing and brings the total capacity of the Western North Carolina Sanatorium to 330. The new wing at the Negro division of the North Carolina Sanatorium for 100 beds, also built with PWA help, was opened last fall. During the biennium eight of the counties in the state have either built new county sanatoria or have added materially to their plants. A total of 226 beds have been added by counties during this two-year period, 172 of which were for Negroes.

Since it is impossible for patients with advanced tuberculosis in a crowded home to keep from infecting the other members of the family, it is very needful for all counties to have institutions of their own to which they can send their tuberculous patients who are not suitable for admission to the state sanatoria, or for their suitable patients while they are waiting for admission to the state institutions. Several of the other counties are seriously considering building county sanatoria in the near future.

The three State Hospitals for the Insane have also improved their facilities for caring for their tuberculous patients recently. They now have a combined capacity of 300 beds for tuberculous patients. With the 200 beds in private sanatoria North Carolina now has altogether 2,346 beds for tuberculosis. This is less than one and one-third beds per death. The National Tuberculosis Association and the United States Public Health Service have found that it is necessary to have at least two beds per death in order to control tuberculosis in a given community.

#### THE EASTERN NORTH CAROLINA SANATORIUM

During the 1939 session of the General Assembly, Senator C. W. Spruill and Senator T. W. M. Long introduced a bill for the establishment of the Eastern North Carolina Sanatorium with immediate provision for 175 patients and an eventual capacity of 350. With the valuable assistance of Hon. J. Melville Broughton, Mr. L. L. Gravely, Mr. R. E. Finch, Mr. E. A. Rasberry, Dr. Ralph McDonald and other loyal supporters the bill passed both in the Senate and in the House with hardly a dissenting vote. A provision was added, however, making the \$250,000 appropriation conditional on securing 45% of the construction cost from the federal government. It was planned to get help from the PWA, but shortly after the passage of the bill PWA was discontinued. We then applied to the WPA authorities to secure their assistance. Provision of a \$52,000 limitation on the amount contributed by the federal government for any one WPA project further complicated matters. The state WPA authorities have been most coöperative, however. They assisted us in arranging for five separate projects, approved the temporary plans and authorized detailed plans and specifications to be prepared. Mr. Walter W. Hook, our architect, now has these ready for submission to the WPA authorities. We trust that they will be approved and that work on the new institution can be begun in the near future.

The bill also provided for the appointment of a site committee consisting of three members, all of whom should reside in western North Carolina. Governor Hoey appointed Senator Joe L. Blythe, of Charlotte, as chairman, Mr. Odus M. Mull, of Shelby, as secretary, and Mr. L. L. Burgin, of Henderson-ville, as the third member of the committee. It was gratifying

that almost every county in eastern North Carolina was anxious to have the institution and offered one or more sites to the committee. After visiting all sites offered, 100 or more altogether, and after making return visits with the superintendent of the sanatorium and the engineer of the Budget Bureau to several of the more favorable sites, the committee selected the site of 100 acres offered by Wilson. The site is located on a beautiful slope on the road to Rocky Mount and bordering on the city limits of Wilson. Public spirited citizens of Wilson contributed \$20,000 in cash for the purchase of the property and we now have a title to the property. The board of directors also secured an option on 24.8 additional acres adjoining the eastern border of the property at the very reasonable price of \$150.00 per acre. This option expires December 31, 1941.

After the Eastern North Carolina Sanatorium is built with its full quota of 350 beds, it is thought that it will probably not be necessary to ask the state to provide any additional beds. We will need, however, to continue to urge all counties either to provide a sanatorium of their own, or to join with one or more neighboring counties to provide an institution for their patients who are not suitable for treatment in state sanatoria until there are at least two beds per death.

#### TRAINING SCHOOL FOR NURSES

Our training schools for both white and Negro nurses supply a real need. There is a scarcity of nurses well-trained in tuberculosis work, and our graduates are always in great demand. Our training school for Negro nurses is one of only three such schools in the United States. The arrangement which we have had for some years for our white nurses to take their third year of training at the Moore County Hospital at Pinehurst and our Negro nurses to take their third year at Lincoln Hospital, Durham, continues to be quite satisfactory, and we greatly appreciate the cooperation of the authorities at these two hospitals. Miss Martha C. Newman, who had been our capable superintendent of nurses for our white training school for nine years, to our regret resigned last fall to go into private nursing, but we were fortunate to secure in her place Miss Eula Rackley, who has been serving most acceptably in her stead. We are greatly pleased over the fine recovery which Mrs. Carrie Broadfoot, our capable and long-time superintendent of nurses at our Negro division, made from her serious accident last summer.

Our institution and the anti-tuberculosis cause in the state and nation sustained a great loss in the passing on last January 20th of Dr. M. L. Stevens, who had been a most active and valuable member of our board since 1935. He was a member of the building committee and chairman of the landscape committee of the Western North Carolina Sanatorium, and devoted much time and thought to promoting the interests of both sanatoria. He was a member of several of the more important state and national medical societies, he was greatly interested also in civic and religious affairs and was greatly beloved by all who knew him.

#### DONATIONS

We are grateful to the many friends of both institutions who have made generous donations of books, magazines, clothing, Christmas packages, and many other gifts. A list of these will be found in the body of the report of each institution. We are especially grateful to the Rosenwald Fund for paying the salary of one of our Negro resident physicians at North Carolina Sanatorium and to the Woman's Auxiliary of the Medical Society of the State of North Carolina for providing a free bed at the Western North Carolina Sanatorium in addition to the bed which they have been paying for at the North Carolina Sanatorium for many years. We wish also to make special mention of the generosity of Mrs. F. S. Terry, of Black Mountain, in providing a large amount of shrubbery and many valuable trees for the beautification of the grounds at our Western North Carolina Sanatorium.

I wish to express to each member of the board my sincere appreciation for your loyal and hearty support.

The various employees of both institutions have rendered faithful and loyal service. I am grateful to them all and especially to Dr. S. M. Bittinger, associate superintendent and medical director at the Western North Carolina Sanatorium, and to Dr. C. D. Thomas, assistant superintendent and associate medical director at North Carolina Sanatorium.

Respectfully submitted,

P. P. McCain, Superintendent, N. C. Sanatorium and Western N. C. Sanatorium and Director, Extension Department.

NORTH CAROLINA SANATORIUM POPULATION MOVEMENT 1938-1939

	TOTAL	W	WHITE ADULTS	TS	WHI	WHITE CHILDREN	SEN		*NEGROES		
	2	Men	Women	Total	Boys	Girls	Total	Men	Women	Total	rusoners
Patients in hospital at beginning of year	535	136	145	281	21	17	38	88	93	181	35
Admissions during year New admissions Readmissions	616	159	172 35	331	29	26	25 2	92	102	194	36
Total admissions	969	184	207	391	29	58	57	97	109	206	45
Separations during year Apparently arrested	110	17	∞	25	25	19	44	10	55	32	6
Quiescent.	62	29	23	52	0	63	61	2	63	10	33
Improved	353	103	148	251	0 0	61 0	e1 C	38	51	89	11 8
Died	89	9	Ξ	17	0	0	0	26	19	45	9
Not tubereulous	31	5	rO.	10	3	1	4	œ	9	14	83
Total separations	694	175	211	386	28	24	52	103	113	216	40
Patients in hospital at end of year Average daily population. Normal capacity	537 535 600	144	142	286	22	21	43	85	98	171	37

\*-Includes Negro children as well as adults

NORTH CAROLINA SANATORIUM POPULATION MOVEMENT 1939-3940

	1	\ <u>\</u>	WHITE ADULTS	TS	W	WHITE CHILDREN	BEN		*NEGROES		
	10.1	Men	Women	Total	Boys	Girls	Total	Men	Women	Total	Prisoners
Patients in hospital at beginning of year.	537	144	142	286	22	21	43	85	98	171	37
Admissions during year New admissions Readmissions	717	147	150	297	16	25	14	170	158	328	23
Total admissions.	821	170	185	355	16	26	42	176	174	350	74
Separations during year Apparently arrested	203	14	6	23	12	18	30	59	64	: 13	27
Quiescent	29	29	23	52	53	5	7	1	61	က	o.
Unimproved	241	86 19	124	210	er C	61 6	10 C	ж с	Ξ,	19	2- 20
Died	104	14	7	3 89	00	0	0	24	30	73	G →
Not tuberculous	45	10	∞	18	က	0	ಣ	=	4	15	6
Total separations	724	165	161	356	20	25	45	130	118	248	7.5
Patients in hospital at end of year Average daily population Normal capacity	634 585 650	149	136	285	10	21	40	130	143	273	36

\*-Includes Negro children as well as adults.

#### NORTH CAROLINA SANATORIUM SUMMARY OF TWO YEARS' WORK

July 1, 1938-June 30, 1940

	1938-1939	1939-1940
Letters and postals received	18,987	18,605
Individual letters written	17,852	17,694
Mimeographed letters mailed	1,183	1,169
Mimeographed forms prepared	119	100
Number of copies mimeographed	36,899	13,163
Articles written (approximate number words )		
Press		
Sanatorium Sun	213,250	205,300
Copies Sanatorium Sun mailed	34,200	34,200
Articles copied (approximate number words)	99,880	2,780
Patients' histories written	643	769
Envelopes addressed	25,619	25,866
Enclosures sent out	13,827	12,898
Literature sent out	28,316	25,169
Sputum cups distributed.	185,400	149,300
Tuberculin sent physicians	17,084	18,491
X-ray films sent in for interpretation	3,264	3,072
Operations		
Phrenic operations	181	224
Thoracoplasty	49	57
Pneumonolysis	12	7
Major operations	5	7
Minor operations	33	25
Blood transfusions	46	46
Brouchoscopy	53	17
Pneumothorax threatments	12,822	10,566
Pneumo-peritoneum.	307	1,801
Olcothorax	22	150

#### REPORT OF P. P. McCAIN M. D.

	1938-1939	1939-1940
Days out of office	42	40
Addresses delivered	30	31
Number in audience.	4,530	3,340

### NORTH CAROLINA SANATORIUM REPORT OF FIELD ADULT TUBERCULOSIS CLINICS

			1938-1939	1939-1940	TOTAL
Number of addresses delivered			13	9	22
Total audience			45,280	20,160	56,440
	1938-1939	1939-1940			
New positive cases	1,132	795			
Previously diagnosed positive	1,151	1,310			
Probable	161	214			
Doubtful	103	97			
Negative	11,102	10,814			
			13,649	13,230	26,879
Number of white examinations	10,097	9,156			
Number of colored examinations	3,429	3,970			
Number of Indian examinations	123	104			
			13,649	13,230	26,879

#### REPORT OF SCHOOL TUBERCULOSIS CLINICS

Summary of Results of School Children's Tuberculosis Clinics Conducted by the Extension Department of the North Carolina Sanatorium in Co-operation with Local Health and School Authorities During School Sessions 1926-1940

#### RESULTS OF TUBERCULIN TEST

(0.1 cc. 1:1000 dilution O. T. intracutaneously)

	White	Colored	Indian	Total
Number given tuberculin test Number positive reactors	368,521	98,652	921	468,094
	58,321 (13.1%)	20,837 (21.1%)	284 (30.8%)	79,442 (16.9%)

#### RESULTS OF THE STUDY OF 64,470 POSITIVE TUBERCULIN REACTORS HAVING X-RAYS

Number of reactors having X-rays of chest.			64,470
Number reactors diagnosed as having tuberculosis		7,963	
White	5,533		
Colored	2,390		
Indian	40		
Primary tuberculosis	7,246		
Reinfection tuberculosis	501		
Primary and reinfection tuberculosis	173		
Extra-pulmonary	33		
Extra-pulmonary and reinfection	6		
Extra-pulmonary and primary	3		
Miliary tuberculosis	1		
Number of reactors classified as suspicious		4,641	
Number of reactors classified as having no demonstrable tuberculosis.		51,866	

#### REPORT OF SCHOOL TUBERCULOSIS CLINICS

Summary of Results of School Tuberculosis Clinics Conducted by the Extension Department of the North Carolina Sanatorium in Co-operation with Local Health and School Authorities During School Sessions 1938-1939 and 1939-1940

#### RESULTS OF TUBERCULIN TEST

(0.1 cc. of 1:1000 dilution of O. T. intracutaneously)

	White	Colored	Total
Number given tuberculin test	89,396	32,515	*121,911
	14,476 (16%)	7,043 (22%)	21,519 (18%)

<sup>\*87,145</sup> of these were given tuberculin tests by local health officers, the X-rays and their interpretations were made by staff of Extension Department of North Carolina Sanatorium.

#### RESULTS OF THE STUDY OF 14,660 REACTORS HAVING X-RAYS

RACE	Number Herina	POSIT	IVE	SUSPICE	ous	NEGAT	IVE
NACE	Number Having X-rays	Number	%	Number	%	Number	%
White	9,073	1,003	10.1	316	3.4	7,754	85.
Negro	5,587	651	11.6	192	3.4	4,744	84.9
Total	14,660	1,654	11.2	508	3.5	12,498	83.8
Primary type lesions.							1,52
Reinfection type lesions							. 11
Primary and reinfection type !	esions						. 1

## NORTH CAROLINA SANATORIUM WHITE DIVISION

MEDICAL REPORT July 1938-July 1940

#### Statistical

	1938-1939	1939-1940	TOTAL
Number of patients to be reported on (discharged)  Number not tuberculous  Number of patients in Sanatorium July 1	376 10 286	338 18 285	714 28 571
Total number of patients treated	672	641	1,313
Hospital days	101,689	103,439	205,128

NORTH CAROLINA SANATORIUM
PATIENTS WHO STAYED LESS THAN NINETY DAYS

						1938	1938-1940							
								00	NDITION	CONDITION ON DISCHARGE	RGE			
CONDITION ON ADMISSION	==	1938-39	1939-40	-40	Apparently Arrested	/ Arrested	Quie	Quiescent	im_	Improved	Unimproved	roved	ā	Died
				1	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40
Minimal	.43 B C	188	CBB	17 2 0	7	2	3	3	80 10	[				
Moderately advanced	-67 { B C	13 22 0	CBA	25 0	69 64		5	C1 60	14	19	2 2	2		
Far advanced	-66 B C C	0 28 15	CBA	0 91 7		-			20		9	. 44 00	, es es	
Primary tuberculosis	2	_		-	1	1					1			
Total	821	103		75	13	11	9	6	56	39	22	6	9	7
	1938-39	1939-40	40					1938-39	1939-40				1938-33	1939-40
Total number of days	4,733		3,021	Averag	Average stay			45.95	40.26	Shortest stay			4	4
					1938-39	1939-40							1938-33	1939-40
Number gained weight Average gain. Stationary				4 8 1 8 9 1 9 8 9 6 9 9 1 4 8	8 4	45 5.55 5		Number lost weight. Average loss Not weighed					* * **	2.2

NORTH CAROLINA SANATORIUM
PATIENTS WHO STAYED NINETY DAYS OR OVER
1838-1940

								3	NOITION	CONDITION ON DISCHARGE	ARGE			
CONDITION ON ADMISSION		1938-39	1939-40		Apparently	Apparently Arrested	Quie	Quiescent	lm	Improved	Unim	Unimproved		Died
					1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40
Minimal	39 B C	112	CGBA	17 6	1	- 63	9	10	4	9			4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Moderately advanced2	249 B C	24 109 0	CBB	34 82 0	4 70	400	11 19	112	83	18 64	1	2	-	peral prod
Far advanced2	$247 \left\{ \begin{array}{c} A \\ B \\ C \end{array} \right.$	23 83	CBB	105		2	-1 ha	1-	83	74	50 80	10	4	16
Extra-pulmonary	536	273	54	263	12	12	46	84	195	171	6	1 16	17	51
Total number of days.	1938-39			Average	Average stay	1 1 1 1 1 1 1 1	-	313.17	386.8	Longest stay.			1938-39	1939-40
					1938-39	1939-40							1938-39	1939-40
Number gained weight. Average gain. Stationary.					210 15.69 13	198 15.92 3		Number lost weight. Average loss					31 7.54 19	29 9.06 33

# NORTH CAROLINA SANATORIUM HISTORY OF HEMORRHAGE

		1938-39	1939-40
Negative		260	260
_	Previous.	107	62
Positive	Previous and during residence	7	11
	During residence only	2	5

#### RESULT OF SPUTUM EXAMINATIONS

Negative or no sputum.	172	147
On admission.	193	177
Positive   During residence	132	141
On discharge	67	70

#### SEX, AGE AND CIVIL CONDITION

#### 1938-1939

SEX				А	GE			(	CIVIL CO		
SEA		11-19	20-29	30-39	40-49	50-59	60-72	Single	Mar- ried	Wid- owed	Di- vorced
MaleFemale	171 205 376	36	127	105	58	36	14	108	245	12	11

#### 1939-1940

Male	155 183	25	119	85	56	39	14	113	192	25	8
Total	338										

#### NORTH CAROLINA SANATORIUM TUBERCULOUS COMPLICATIONS

#### 1938-1940

Adenitis (cervical)	6	Nephritis	6
Adenitis (tracheobronchial)	7	Osteitis	2
Anal fistula	15	Otitis media	7
Cystitis	1	Peritonitis	3
Empyema	20	Pharyngitis	1
Enteritis	48	Pleural fistula	1
Epididymitis	3	Pleurisy with effusion	30
Hydro-pneumothorax (on admission)	6	Pott's disease	2
Laryngitis	59	Pyo-pneumothorax	2
Meningitis	2	Spontaneous poeumothorax	6
Miliary tuberculosis	1	Tracheobronchitis	10
NON TURES		US SOMEDI ISATIONIS	

NON-TUBER	RCULOUS C	COMPLICATIONS	
Adenoma thyroid	1	Ischio-rectal abscess	1
Amputation (arm)	1	Lipoma	1
Anemia (secondary)	11	Lues.	9
Ankylosis	2	Mitral regurgitation	1
Appendicitis		Mitral stenosis	1
Arteriosclerosis		Myocarditis	3
Arthritis		Nasal polyp	1
Asthma (bronchial)		Nephritis	8
Atrophy of testicle	2	Neurasthenia	3
Auricular fibrillation		Obesity	1
Blindness (partial)		Otitis media	8
Bronchitis.		Paralysis (partial)	2
Carious teeth.		Pediculosis pubis	2
Carcinoma		Pellagra	1
Cataract		Pes planus	1
Cirrhosis of liver		Pharyngitis	3
Cholecystitis		Phlebitis	1
Colitis		Pregnancy	1
Congenital deformity (hands and feet)		Prostatitis.	1
Conjunctivitis		Pilonidal sinus	1
Cystitis		Psychosis	1
Cystocele		Pulmonary embolus	1
Deafness (partial)		Pyorrhea	64
Diabetes mellitus		Rectocele	
Diseased tonsils		Retroversion of uterus	1
Dysmenorrhea	2	Rhinitis	19
Eczema		Sclerosis (spinal cord)	1
Emphysema	1	Scoliosis	2
Epilepsy		Silieosis	1
Erosion of cervix		Sinus (abdominal)	1
Fracture of coccyx		Sinusitis	5
Goitre	3	Stomatitis	2
Hemorrhoids		Strabismus	3
Hernia		Subdeltoid bursitis	1
Hookworm		Tapeworm infection	1
Hydrocele		Tumor (benign)	1
Hypertension		Varicocele	4
Hypertrophied prostate		Varicose veins	2
Lethyonia			

# NORTH CAROLINA SANATORIUM OCCUPATIONS

Baker	1	Lawyer 1
Barber	8	Librarian 1
Boarding house keeper	1	Linotype operator1
Bookkeeper	3	Machinist 6
Brick mason	1	Mail clerk
Bus driver	1	Mechanic 4
Butcher	3	Merchant 1
Cafe operator	3	Metal smith3
Cannery operator	1	Minister
Carpenter	7	Painter 4
Civil engineer	1	Physician 2
Clerk	30	Plumber 3
Contractor	2	Postal clerk
Cotton mill operator	85	Postmaster
Deputy collector	1	Printer 3
Deputy sheriff	1	Radio 1
Dietitian	1	Railway mail clerk
Druggist	1	Railroad shop operator
Electrician	2	Register of deeds 2
Engineer.	1	Salesman
Express messenger	1	Seamstress
Farmer	118	Steam fitter1
Federal employee	1	Stenographer 14
Filling station operator		Students 37
Factory (tohacco) operator		Teacher 4
Florist	1	Telephone manager1
Graduate nurse	33	Telephone operator1
Granite quarry	3	Theatre operator1
Housework	236	Tobacco warehouseman 4
Insurance salesman	2	Truck driver4
Laborer	17	Upholsterer1
Laundryman		Waitress 2

NORTH CAROLINA SANATORIUM
PATIENTS EXAMINED IN SANATORIUM CLINIC FOR DIAGNOSIS AND CONSULTATION

		СНІГІ	CHILDREN		3		0.00	0	0300	2	ļ	- NATOL
	W W	WHITE	)T00	COLORED	3	J =	200	O S	Ë	2	2	Į.
	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40
July	52	39	5	10	224	252	17	52	5	12	307	365
August	28	71	1-	18	274	311	39	45	9	12	354	457
September	99	69	52	69	222	231	35	43	∞	∞	377	354
October	34	23	11	11	269	237	32	84	2	S	348	364
November	32	29	7	16	191	201	29	15	7	∞	263	273
December	25	19	0	Ç1	215	203	14	24	9	6	260	257
January	44	31	21	6	247	201	40	35	4	9	356	282
February	42	20	œ	14	198	178	33	26	6	1	290	245
March	43	46	9	6	252	207	41	185	90	52	350	455
April	45	42	28	12	286	260	63	43	5	9	427	363
May	50	37	53	23	151	281	44	39	9	9	280	386
June	121	45	16	13	335	234	54	19	9	6	432	362
Total	476	474	190	140	2,864	2,796	441	656	13	65	4,044	4,163

# CLASSIFICATION

Positive diagnosis.	32	36	19	10	263	211		87	36	63		397
Negative diagnosis	360	346	144	123	1,394	1,331-	-	442	34	26		2,268
Re-examinations	84	102	27	7	1,207	1,254	85	127	က	00		1,498
Total	476	474	190	140	2,864		441	929	73	97	4,044	4,163

# NORTH CAROLINA SANATORIUM SUMMARY OF MEDICAL REPORT

(White Division) July 1, 1938-July 1, 1940

	1938-1939	1939-1940	Total
Patients admitted			
Minimal	53	48	101
Moderately advanced	162	143	305
Far advanced	167	154	321
Extra-pulmonary.	0	1	1
Primary tuberculosis	2	0	2
Not tuberculous	7	9	16
Total	391	355	746
Patients discharged			
Apparently arrested.	25	23	48
Quiescent	52	52	104
Improved	251	210	461
Unimproved	31	25	56
Died	17	28	45
Total	376	338	714

# NORTH CAROLINA SANATORIUM REPORT OF X-RAY LABORATORY

(All Divisions)
July 1, 1938-June 30, 1940

	White	Colored	Prison	Total
Stereoroentgenograms of chest Sanatorium patients	1,034	561	76	1,671
Stereoroentgenograms of chest Sanatorium clinic patients	252	35	0	287
Double Roentgenograms of chest Sanatorium patients	81	41	0	122
Double Roentgenograms of chest Sanatorium clinic patients	269	163	0	432
Double Roentgenograms of chest children's clinics	4,364	2,345	0	6,709
Single Roertgenograms of chest Sanatorium patients	1,768	627	170	2,565
Single Roentgenograms of chest Sanatorium clinic patients	1,748	296	21	2,065
Single Roentgenograms of chest children's clinics.	161	398	0	559
Single Roentgenograms of chest adult clinics.	6,379	3,111	0	9,490
Miscellaneous X-rays	632	136	33	801
Total	16,688	7,713	300	24,701
X-ray treatments	61	129	8	198

# NORTH CAROLINA SANATORIUM LABORATORY REPORT (All Divisions)

July 1, 1938-June 30, 1940

	White	Colored	Prison	Total
Sputanalyses				
Micro	7,314	3,858	648	11,82
Chem.	1,708	827	97	2,63
Total	9,022	4 605	745	14.45
Urinalyses	9,022	4,685	740	14,45
Micro	1,698	770	123	2,59
Chem.	3,402	766	123	4,29
Total	5,100	1,536	246	e 00
Blood	3,100	1,000	240	6,88
W. B. C.	1,119	621	117	1,85
R. B. C.	1,078	651	113	1,84
Hemoglobin	1,081	645	113	1,83
C. I.	953	606	113	1,67
Differential	1,067	609	117	1,79
Kline	988	889	119	1,79
Wassermann	33	45	7	1,99
Malaria	52	4	2	5
Urea.	1	0	0	Э
	26	30		
Type			0	5
Coagulation	49	32	1	8
Sedimentation	25	1	0	2
Sugar_`	84	5	0	8
Undulant fever	2	0	0	
Blood chemistry	3	0	0	
Culture	16	1	0	1
Widal	2	0	0	
Laughlen	4	1	0	
N. P. N	1	1	0	
Platelet	1	0	0	
Agglutination	6	0	0	
Total	6,591	4,141	702	11,43
Peces	1,038	573	107	1,71
Phthalein	2	4	0	1,,1
Gastrie	25	6	1	35
Pleural fluid	369	86	12	47
3. M. R.	16	5	0	2
Bacteriological	180	372	14	
				56
/ital capacity	69	38	3	11
Abdominal fluid	2	0	0	:
Autopsy	8	46	3	5
Guinea pig inoculation	1	5	0	(
Guinea pig autopsy	14	4	0	13
Spinal fluid	8	2	3	13
Pleural fluid culture	80	7	2	89
Friedmann's test	1	0	0	1
tomach washings	0	3	0	é
	1,813	1,151	145	3,109
Total	1,010	1	1	
Total	,,,,,			22

#### NORTH CAROLINA SANATORIUM

#### PERSONS FROM WHOM DONATIONS WERE RECEIVED

#### Books and Magazines:

Mrs. N. S. Hurd, Pinehurst
Junior Chamber of Commerce, Southern Pines
Pinehurst Incorporated, Pinehurst
Mr. C. C. Cranford, Asheboro
Mrs. Alline Jeffords, Pikeville
Mrs. R. B. Lawson, Chapel Hill
Carey Newton Sunday School Class, First Baptist Church, Goldsboro
American Bible Society, Richmond, Va.
Mrs. Coy Collins, Raleigh

#### Flowers:

Ladies' Auxiliary, Hillsboro Presbyterian Church, Hillsboro Mr. C. A. Ballentine, Varina Mr. and Mrs. E. M. Harris, Aberdeen

#### Miscellaneous;

Pinehurst School Junior Red Cross, Pinehurst Mrs. J. A. Bizzell, Chapel Hill Mr. J. M. Gibson, Montgomery, Ala. Mrs. Franklin, New York Mr. Alexander Weinstein, Raleigh

#### Cash Donations:

Mr. S. Donald Sherrerd, Pinehurst Miss Mingle, State Board of Health, Raleigh

#### NORTH CAROLINA SANATORIUM CHILDREN'S DIVISION MEDICAL REPORT

#### Statistical

	1938-1939	1939-1940	Total
Number of patients to be reported on (discharged)	48	42	90
Number not tuberculous	4	3	7
Number of patients in Sanatorium July 1	43	40	83
Total number of patients treated	95	85	180

#### SUMMARY MEDICAL REPORT

			1938-1939	1939-1940	Total	
Patients admitted Reinfection type tuberculosis			16	11,	27	
Reinfection type tuberculosis			10,	11,	21	
	1938-1939	1939-1940				
Minimal	9	10		1		
Moderately advanced		1				
Far advanced	0	0				
Primary tuberculosis.			41	30	71	
Not tuberculous			0	1	1	
Total			57	41	98	4
Patients discharged						
Apparently healed			44	30	74	
Apparently inactive			2	7	9	
Improved			2	5	7	
Total			48	42	90	

#### SEX AND AGE

	1938-1939	1939-1940	Total
ex			
Male	25	17	42
Female	23	25	48
Total	48	42	90
ge ,			
22 months to 9 years	15	16	31
10 to 18 years	33	26	59
Total	48	42	9(

#### TUBERCULOUS COMPLICATIONS

Ademtis (tracheobronchial)	14	Pleurisy with effusion.	1
Osteitis of tibia	1		

#### NON-TUBERCULOUS COMPLICATIONS

Bronchitis (chronic)	1	Paralysis (facial)	1
Carious teeth	12	Pediculosis	2
Diseased tonsils.	20	Phimosis	2
Dwarf tapeworm	1	Pneumonitis	1
Heart disease	1	Scabies	2
Hookworm disease	5	Secondary anemia	1
Lues	1	Round worm infection	1
Otitis media	2		

# NORTH CAROLINA SANATORIUM NEGRO DIVISION MEDICAL REPORT

#### Statistical

	1938-1939	1939-1940	Total
Number of patients to be reported on (discharged)	202	233	435
Number not tuberculous	14	15	29
Number of patients in Sanatorium July 1	171	273	444
Total number of patients treated	387	521	908
Hospital days	64,591	77,476	142,067

# NORTH CAROLINA SANATORIUM PATIENTS WHO STAYED LESS THAN NINETY DAYS

		-					000	ONOILION	CONDITION ON DISCHARGE	3GE			
CONDITION ON ADMISSION	1938-39		1939-40	Apparently Arrested	Arrested	Quiescent	i	lmp	Improved	Unimproved	peace	Died	P
				1938-39	1929-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40
Minimal. 10	BBCC	5 A 1 B 0 C C	3		-		1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 b b 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	3 1 1 3 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
Moderately advanced13	CBA	3 1 B 0 C	2 7 0		<b>□</b> 4		-	1 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2		
Far advanced	CCC	11 B 11 B C	1 7 17			1 4 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		9	1	61 00	1 1	63 65	1 4 16
Primary tuberculosis15		5	10	_	10			4		1			
Total93		45	84	61	17	0	2	21	62	11	5	111	22
-19	1938-39	1939-40					1938-39	1939-40				1938-33	1939-40
Total number of days	1,585	1,767		Average stay			44	36.81	Shortest stay.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, 00	61
				1938-39	1939-40							1938-33	1939-40
Number gained weight Average gain Stattonary		1		21 5.42	14 3.9 4	Number lost weig Average loss	Number lost weight. Average loss Not weighed					7.48	11 6.6 19

NORTH CAROLINA SANATORIUM
PATIENTS WHO STAYED NINETY DAYS OR OVER
1938-1940

						193	938-1940							
								0	ONDITION	CONDITION ON DISCHARGE	IARGE			
CONDITION ON ADMISSION	19	1938-1939		1939-40	Apparentl	Apparently Arrested	Quie	Quiescent	dw.	Improved	Unimp	Unimproved	Ö	Died
					1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40
Minimal	26 B C	10	C B A	0 0	4 1	10			9 : :					
Moderately advanced	74 B C C	13 21 1	CBA	5 0 0	8 8	25	- :	1 7 1	9 10	2 2			c1	61
Far advanced	204 B C	0 58 29	CBA	20 25 25	4 61	81 07 81	<del>प</del>	-	. 53 e	12 1	10	, D 61	17	28
Primary tuberculosis	388	24		7	S	14		9 9 1 1	14	į	;		_	
Total	342	157		185	30	106	ro.	1	89	17	20	11	34	50
	1938-39		1939-40				-	1938-39	1939-40				1938-39	1939-40
Total number of days	54,591		64,293	Averag	Average stay		:	347.7	347.5	Longest stay			1,249	1,217
					1938-39	1939-40							1938-39	1939-40
Number gained weight. Avearge gain. Stationary.					104	113 15,06 6		Number lost weight. Average loss					19 14.75 32	27 9.5 39

#### NORTH CAROLINA SANATORIUM HISTORY OF HEMORRHAGE

		1938-1939	1939-1940
Negative		143	169
	(Previous only	34	56
Positive.	Previous and during residence	16	3
	During residence only	l q	5
	RESULT OF SPUTUM EXAMINATIONS		
Negative or no sp	RESULT OF SPUTUM EXAMINATIONS	78	83
Negative or no sp	RESULT OF SPUTUM EXAMINATIONS	78 119	
Negative or no sp	RESULT OF SPUTUM EXAMINATIONS	, ,	83

#### SEX, AGE AND CIVIL CONDITION

#### 1938-1939

SEX	Total			AC	GE			(	CIVIL CO	NDITION	1
SEX	rotai	2-9	10-19	20-29	30-39	40-49	50-65	Single	Mar- ried	Wid- owed	Di- vorced
Male	92 110	19	50	79	37	13	4	104	83	11	4
Total	202	15	30	19	91	10	4	104	00	11	4

#### 1939-1940

# NORTH CAROLINA SANATORIUM OCCUPATIONS

#### 1938-1940

D 1		
Barber	2	Mechanic
Bookkeeper.	1	Mill work
Butler	1	Minister.
Carpenter	2	Musician
Chauffeur	5	Nurse
Clerk	2	Orderly
Cook	14	Painter
Dry cleaner	3	
Farmer	-	Porter.
		Seamstress
Filling station	4	Secretary
Furniture factory	2	Shoe shine
Granite quarry	2	Student
Hotel boy	2	Student nurse
Housework	85	Teacher
Janitor	3	Tobacco factory
Lahorer	45	Truck driver
Laundress	3	Undertaker
Maids	4	
Maids	4	Waiter
NORTH 6	ADOLINA	CANATODUM
NORTH	AROLINA	SANATORIUM
TUBERCU	JLOUS CO	MPLICATIONS
	1938-194	0
		·
Adenitis (cervical)	10	Meningitis
Adenitis (tracheobronchial)	24	Osteitis
Empyema.	7	Otitis media
	39	
Enteritis		Peritonitis.
Epididymitis	1	Pleurisy with effusion
Ischio-rectal abscess	16	Pott's disease
Keratitis	1	Scrofula
Laryngitis.	54	Tuberculoma of the brain
NON-TUBERCUL	ous com	PLICATIONS
Abdominal sinus	1	factors.
		Initis
Alopecia	1	Kyphosis (dorsal)
Amputation (leg)	1	Laceration of cervix
Anemia (secondary)	4	Measles
Anemia sickle cell	1	Mastorditis
Arthritis	1	Myocarditis
Arteriosclerosis	2	Nasal polyp
Asthma	1	Nephritis
Carious teeth	-	Osteoma femur
Cystocele	2	Otitis media
	_	
Deafness (partial)	5	Peptic ulcer.
Decubitus ulcer	3	Pharyngitis
Decubitus ulcer Diseased tonsils	3 93	
		Pharyngitis
Diseased tousils	93	Pharyngitis
Diseased tousils	93 8	Pharyngitis. Phimosis Phlebitis.
Diseased tonsils Endocarditis Epilepsy Erosion of cervix	93 8 1	Pharyngitis. Phimosis Phlebitis Pregnancy Psychosis.
Diseased tonsils	93 8 1 3 12	Pharyngitis. Phimosis Phlebitis Preguancy Psychosis. Pulmonary embolus
Diseased tonsils Endocarditis Epilepsy Erosion of cervix Goitre Harelip	93 8 1 3 12	Pharyngitis. Phimosis. Phlebtis. Pregnancy Psychosis. Pulmonary embolus. Pyodermia.
Diseased tonsils	93 8 1 3 12 1 18	Pharyngitis. Phimosis Phiebtis Pregnancy Psychosis. Pulmonary embolus Pyodermia Pyorrhea 7
Diseased tonsils.  Endocarditis.  Epilepsy.  Erosion of cervix  Goitre.  Harelip.  Hemorrhoids.  Hernia.	93 8 1 3 12 1 18 7	Pharyngitis           Phimosis           Phlebitis           Pregnancy           Psychosis           Pulmonary embolus           Pyodernia           Pyorrhea         7           Syphilis         4
Diseased tonsils	93 8 1 3 12 1 18 7	Pharyngitis. Phimosis Phiebtis Pregnancy Psychosis. Pulmonary embolus Pyodermia Pyorrhea 7

#### NORTH CAROLINA SANATORIUM

#### SUMMARY MEDICAL REPORT

#### (Negro Division)

	1938-1939	1939-1940	Total
Patients admitted			
Minimal	53	26	79
Moderately advanced	162	56	218
Far advanced	167	221	388
Extra-pulmonary	1	0	1
Primary tuberculosis	2	. 32	34
Not tuberculous.	7	14	21
Total.	391	350	741
Patients discharged			
Apparently arrested	32	123	155
Quiescent	5	3	8
Improved	89	19	108
Unimproved.	31	16	47
Died	45	72	117
Total.	202	233	435

#### PERSONS FROM WHOM DONATIONS WERE RECEIVED

Mrs. W. C. Fownes, Jr., Pinehurst

Mrs. Robert C. Dye, Fayetteville

Iredell County School Teachers, Statesville

Lend-A-Hand Book Mission, Boston, Mass.

Mrs. Mary C. Holliday, Statesville

Miss Mary Phillips, Aberdeen

Mr. S. B. Chapin, Myrtle Beach, S. C.

Mrs. F. L. Terry, Black Mountain

Mrs. W. C. Andrews, Southern Pines

Moore County Ladies' Auxiliary, Southern Pines

Mr. P. T. Kelsey, Southern Pines

Miss Bair, Southern Pines

Mrs. Frankie Cameron, Southern Pines

Miss Gladys Hussey, Southern Pines

Miss Barbara Backer, Southern Pines

Mrs. P. L. Kirk, Southern Pines

#### NORTH CAROLINA SANATORIUM

#### PRISON DIVISION

#### MEDICAL REPORT

	1938-1939	1939-1940	Total
Number of patients to be reported on (discharged)	37	66	103
Number not tuberculous	3	9	12
Number of patients in Sanatorium July 1	37	36	73
Total number of patients treated	77	111	188
Hospital days.	13,705	14,861	28,566

#### SUMMARY MEDICAL REPORT

	1938-1939	1939-1940	Total
Patients admitted			
Minimal	1	7	8
Moderately advanced	10	25	35
Far advanced	24	34	58
Extra-pulmonary	0	1	1
Primary type tubercutosis	0	1	1
Not tuberculous.	7	4	11
Total	42	72	114
Patients discharged			
Apparently arrested.	9	27	36
Quiescent	3	5	8
lmproved	11	7	18
Unimproved.	8	23	31
Died	6	4	10
Total	37	66	103



#### THE NORTH CAROLINA SANATORIUM

#### Revenue and Expenditures

#### EXTENSION FUND

#### For the Two Years Ended June 30, 1939-40

		Fiscal Year 1938-1939		Fiscal Year 1939-1940
Revenue				
Appropriation	. 8	24,769.00	\$	25,370.00
Institutional receipts	-	49.75		56.00
Total revenue	- 8	24,845.75	\$	25,426.00
Expenditures				
Salaries and wages	. 8	16,051.26	\$	14,542.92
Supplies and materials	-	551.59		602.36
Postage, telephone and telegraph.	-	845.80		893.32
Travel expense	-	4,675.61		4,947.41
Printing and binding.	-	1,557.43		1,187.56
Equipment	-	600.95		1.782.13
	8	24,282.64	8	23,955.70
Unexpended balance	. 8	563.11	\$	1,470.39

#### THE NORTH CAROLINA SANATORIUM

#### Revenue and Expenditures

#### MAINTENANCE FUND

		Fiscal Year 1938-1939		Fiscal Year 1939-1940
Revenue				
Appropriation	8	211,431.00	\$	201,917.00
Institutional receipts.		101,384.86		110,928.31
Fire loss		14,396.87		
Transfer		1,800.00		
Total revenue	8	329,012.73	8	312,845.31
Expenditures				
Administration	\$	13,125.13	0,0	13,040.32
Professional care		57,735.12		60,478.12
Custodial care		145,019.45		149,710.78
Operation of plant		25,867.06		28,732.98
Maintenance of plant		19,901.94		16,351.15
Agriculture		35,837.91		37,362.89
Additions and betterments		12,684.64		1,457.20
	8	310,271.25	\$	307,133.44
Unexpended balance	8	18,741.48	\$	5,711.87

# THE NORTH CAROLINA SANATORIUM AVERAGE POPULATION AND MAINTENANCE PER CAPITA COST

For the Two Years Ended June 30, 1939-1940

	1	scal Year 38-1939		scal Year 939-1940
Administration	\$	24.63	8	22.29
Professional care and treatment		108.31		103.39
Custodial care		272.08		255.90
Operation of plant		48.72		49.12
Maintenance of plant		37.34		27.95
Agriculture		67.24		63.87
Additions and betterments		23.80		2.48
Totals	8	582.12	8	525.00
From appropriation	8	361.52	s	335.38
From own receipts		220.60		189.62
Average number of patients		533		585

# WESTERN NORTH CAROLINA SANATORIUM POPULATION MOVEMENT

#### 1938-1939

	WHITE ADULTS			
	Total	Men	Women	Total
1. Patients in hospital at beginning of year	126	64	62	126
Admissions during year				
New admissions	367	164	203	367
Readmissions	2	0	2	2
Transfers from Eastern Sanatorium	11	6	5	11
Total admissions	380	170	210	380
Separations during year				
Apparently arrested	7	2	5	7
Quiescent	53	22	31	53
Improved	83	39	44	83
Unimproved	33	18	15	33
Died	12	10	2	12
Not classified	4	3	1	4
Not tuberculous	23	13	10	23
Total separations	215	107	108	215
Patients in hospital at end of year	291	127	164	291
Average daily population				184
Normal capacity				300

<sup>\*-</sup>Capacity 300 at end of June 1939 after opening of New Wing in February, 1939.

#### WESTERN NORTH CAROLINA SANATORIUM POPULATION MOVEMENT

#### 1939-1940

	WHITE ADULTS			
	Total	Men	Women	Total
Patients in hospital at beginning of year	302	136	166	302
Admissions during year				
New admissions	313	129	184	313
Readmissions	13	8	5	13
Transfers from Eastern Sanatorium	18	6	12	18
Total admissions	344	143	201	344
Separations during year				
Apparently arrested.	9	1	8	9
Quiescent	102	32	70	102
Improved	143	65	78	143
Unimproved	28	14	14	28
Died	21	10	11	21
Not classified	0	0	0	(
Not tuberculous	30	13	17	30
Total separations.	333	135	198	333
Patients in hospital at end of year	302	136	166	303
verage daily population				29
Normal capacity				300

# WESTERN NORTH CAROLINA SANATORIUM SUMMARY OF TWO YEARS' WORK

July 1, 1938-June 30, 1940

	1938-1939	1939-1940
Letters and postals received	7,217	8,313
Individual letters written	8,996	10,844
Articles copied (approximate number of words)	4,950	15,250
Patients' histories written	316	279
Approximate number of words in patients' histories	473,000	418,500
Envelopes addressed	10,295	11,637
Enclosures sent out	1,960	850
Literature sent out	499	376
Sputum cups distributed	9,900	15,350
Tuberculin sent to physicians	4,440	2,010
X-ray films sent for interpretation	597	800
Operations		
Report of phrenic operations	143	168
Report of pncumolyses	3	
Report of thoracoplasties	66	8
Report of thoracotomies	1	
Lobectomy	1	
Pneumonectomy	0	
Rib resection and drainage	2	
Appendectomy	2	
Bronchoscopy	36	7:
Major	15	1
Minor	5	5
Blood transfus ons	4	

#### REPORT OF DR. S. M. BITTINGER, M. D.

·	1938-1939	1933-1940
Days out of office	31	35
Addresses delivered	4	3
Number in audience	480	200

# WESTERN NORTH CAROLINA SANATORIUM REPORT OF TUBERCULOSIS CLINICS-X-RAY

		1938-1939			1939-1940	
	White	Colored	Total	White	Colored	Total
Childhood type positive	32	5	37	126	0	126
Childhood type (suspicious)	14	1	15	33	3	36
Adult and childhood type (healed)	2	2	4	1	0	1
Adult type positive	0	, 1	1	1	0	1
Adult type (suspicious)	0	0	0	0	4	4
Negative	173	19	192	528	31	559
Total	221	28	249	689	38	727

#### MEDICAL REPORT

#### Statistical

	1938-1939	1933-1940	Total
Number of patients to be reported on (discharged).	215	333	548
Number not classified	. 4	0	4
Number not tuberculous	23	30	53
Number of patients in Sanatorium July 1st	291	302	593
Total number of patients treated.	533	665	1,198
Hospital days	67,032	108,779	175,811

# WESTERN NORTH CAROLINA SANATORIUM HISTORY OF HEMORRHAGE

		1938-39	1939-40	Total
Negative_		129	189	318
	Previous.	76	137	213
Positive	Previous and during residence	9	7	16
	During residence only	1	0	1
	•			

#### RESULT OF SPUTUM EXAMINATIONS

	1938-39	1939-40	Total
Negative or no sputum	80	114	194
Positive			
On admission	24	53	77
During residence	8	9	17
On discharge	1	3	4
On admission and during residence	29	57	86
During residence and on discharge	3	6	9
On admission, during residence and on discharge	70	91	161

# WESTERN NORTH CAROLINA SANATORIUM SEX, AGE AND CIVIL CONDITION

#### 1938-39

SEX			AGE—	1938-39				CIVIL CO	NDITION	
OLA.	12-19	20-29	30-39	40-49	50-59	60-65	Single	Married	Widowed	Divorced
Male107 Female108			-:		,					
Total215	16	76	77	24	15	7	54	153	6	2

#### 1939-40

SEX			AGE	1939-40				CIVIL CO	NDITION	
524	13-19	20-29	30-39	40-49	50-59	60-67	Single	Married	Widawed	Divorced
Male	29	112	110	53	23	6	87	229	15	2

# WESTERN NORTH CAROLINA SANATORIUM SUMMARY OF MEDICAL REPORT

#### July 1, 1938 to June 30, 1940

	1938-39	1933-40	Total
atients admitted			
Minimal	9	16	25
Moderately advanced	114	106	220
Far advanced	230	189	419
Childhood tuberculosis	1	1	2
Extra-pulmonary	0	1	1
Not tuberculous	10	7	17
Not classified	16	24	40
Total	380	344	724
atients discharged			
Apparently arrested	7	9	16
Quiescent	53	102	155
Improved	83	143	226
Unimproved	33	28	61
Died.	12	21	33
Not tuberculous.	23	30	53
Not classified	4	0	4
Total -	215	333	548

# CLASSIFICATION OF VARIOUS TYPES OF NON-TUBERCULOUS CASES—1938-1940

1.	Arteriovenous aneurism (femoral artery and vein)	1
2.	Bronchiectasis	16
3.	Bronchopnuemonia	1
4.	Empyema (chronic)	1
5.	Lung abscess	4
6.	Pleurisy with effusion	1
7.	Pneumonitis	10
8.	Pneumonitis (suppurative)	1
9.	Pulmonary fibrosis (chronic)	2
10.	Pulmonary malignancy (metastatic sarcoma, probable)	1
11.	Silicosis	4
12.	Spontaneous pneumothorax (non-tuberculous)	1
13.	Tracheobronchial tuberculosis (healed)	3
<b>1</b> 4.	No pulmonary disease of any kind	7
	_	_
	TOTAL	53

# WESTERN NORTH CAROLINA SANATORIUM PATIENTS WHO STAVED LESS THAN NINETY DAYS 1938-1940

							00	NDITION	CONDITION ON DISCHARGE	RGE			
CONDITION ON ADMISSION	1938-39		1939-40	Apparenti	Apparently Arrested	Quie	Quiescent	dm1	Improved	Unimp	Unimproved	ō	Died
				1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40
Minimal. 10	CGBA	- 80	A 4 B 2 C 0	1 2	2 1				1				
Moderately advanced 54	CBB	9 61 0	A 6 B 23 C 0			1 2	- 67	13.4	18	3	61 W	-	
Far advanced 80	GBA	222 1	A 0 B 21 C 16	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100	16	10	7 =	67.69	3 1
Total 144		7.5	72	8	8	60	5	34	40	36	30	9	7
Non-tubereulous		4	28	1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 P 4 P 5 P 5 P 5 P 5 P 5 P 5 P 5 P 5 P 5	J 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Total198		86	100	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
61	1938-39	1939-40	0				1938-39	1939-40				1938-39	1939-40
Total number of days	3,733	3,905		Average stay			38.09	39.05	Shortest stay.			-	_
				1938-39	1939-40				:			1938-39	1939-40
Number gained weight Average gain Stationary				45.04	45 6.25 7		Number lost weight. Average loss					21 3.4 28	23 5.1 25

WESTERN NORTH CAROLINA SANATORIUM PATIENTS WHO STAYED NINETY DAYS OR OVER 1938-1940

					130	0461-3661							
							100	NOITION	CONDITION ON DISCHARGE	RGE			
CONDITION ON ADMISSION	193	1938-39	1939-40	Apparenti	Apparently Arrested	Quie	Quiescent	Ē	Improved	Unimproved	lroved	Ö	Died
				1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40
Minimal	3 B B	0	A 1 B 0 C 0										
Moderately advanced124	T B B	111 27 0	A 17 B 66 C 3		65 63	10	13 43 3	8	18				6
Far advanced220	) B	23 23	A 2 B 98 C 44	1		18	30	29	63	01 10	on his	es es	2 12
Total347		116	231	4	9	90	97	49	103	7	8	9	17
Non-tuberculous	8	-	61	1	2 5 5 3 6 8 8	1	1	1	1	1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Total350		117	233										
	1938-39	1939-40	40				1938-39	1939-40				1938-39	1939-40
Total number of days	31,741	67,	67,188 Ave	Average stay	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		271	288	Longest stay.		1	585	849
				1938-39	1939-40							1938-39	1939-40
Number gained weight Average gain Stationary			1	82 11.48	144 12 3	Number lost Average loss Not weighed	Number lost weight. Average loss					21 5.71 13	55 8 31

# WESTERN NORTH CAROLINA SANATORIUM REPORT OF X-RAY LABORATORY

July 1, 1938 to June 30, 1940

	White	Colored	Total
Stereorocntgenograms of chest Sanatorium patients	714		714
Stereoroentgenograms of chest Sanatorium clinic patients	58		58
Stereoroentgenograms of chest children's clinics	5		5
Double Roentgenograms of chest Sanatorium patients	5		5
Double Roentgenograms of chest Sanatorium clinic patients	18	4	22
Double Roentgenograms of chest children's clinics	648		648
Single Roentgenograms of chest Sanatorium patients	1,865		1,865
Single Roentgenograms of chest Sanatorium clinic patients	1,157	111	. 1,268
Single Roentgenograms of chest children's clinics	442	3	445
Single Roentgenograms of chest adult clinics	463	29	492
Miscellancous X-rays	262	4	266
X-ray reprints	26		26
Total	5,663	151	5,814
Treatments	45		45

# WESTERN NORTH CAROLINA SANATORIUM LABORATORY REPORT

July 1, 1939 to June 30, 1940

	White	Colored	Total
Sputanalyses			
Micro.	5,103		5,103
Chem,	1,139		1,139
Total	6,242		6,242
Urinalyses			
Miero.	1,826		1,826
Chem.	3,551		3,551
Total	5,377		5,377
Blood			
W. B. C	1,326		1,326
R. B. C	1,207		1,207
Hemoglobin	1,181		1,181
Color index	1,154		1,154
Differential count	1,291		1,291
Kline.	1,104	77	1,181
N. P. N.	127		127
Laughlen	17		17 3
Urea	332		332
Typing Bleeding and coagulation	6		6
Sedimentation index	1,857		1,857
Icterus index	2		2
Blood sugar	15		15
Vandenberg	1		1
Vital capacity	312		312
Total	5,935		10,012
Feces	1,012		1,012
Phthalein	91		91
Gastrie	7		7
Pleural fluid	152		152
Pleural and spinal fluid	10		10
B. M. R.	33		33
Bacteriological smears	357		357
Gram stain	4		4
Autogenous vaccines	3		3 511
CulturesAutopsies	511 14		14
Autopsies	14		
Total	2,194		2,194
Total examinations and tests			23,825

## PATIENTS EXAMINED IN SANATORIUM CLINIC FOR DIAGNOSIS AND CONSULTATION

July 1, 1939 to June 30, 1940

	CHILDREN		WHITE		COLORED		TOTAL	
	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40	1938-39	1939-40
July	19	38	107	203	0	3	126	244
August	16	37	104	236	0	4	120	277
September	24	46	111	218	1	6	136	270
October	27	25	124	127	2	21	153	173
November	12	59	98	196	1	11	111	266
December	20	32	89	123	3	2	112	157
January	21	8	138	90	8	2	167	100
February	17	31	150	159	7	12	174	202
March	42	34	136	185	21	15	199	234
April	37	41	149	218	3	9	189	268
May	40	57	171	295	7	15	218	367
June	39	21	237	134	8	8	284	163
Total.	314	429	1,614	2,184	61	108	1,989	2,721
		CLASSIFI	CATION					·
Positive diagnosis	25	11	153	136	13	22	191	169
Negative diagnosis.	247	353	987	1,353	43	57	1,277	1,763
Re-examinations	42	65	474	695	5	29	521	789
Total	314	429	1,614	2,184	61	108	1,939	2,721

## OCCUPATIONS-1938-1940

Auditor	. 1	Miner	6
Baker	1	Nurse	
Barber	4	Office work	1
Beautician	. 1	Painter	1
Bookkeeper	. 1	Plumber	1
Carpenter		Postal clerk	1
Cashier		Produce grader	1
Clerk	. 10	Prison guard	
Conductor	. 1	Refinisher	1
Contractor	. 1	Real estate dealer	1
Construction work	. 2	Reporter	2
Cook	. 1	Salesman	
Dentist		Saw mill worker	1
Dry cleaner	2	Seamstress	1
Dye plant worker		Service station work	
Electrician		Stenographer	5
Farmer	67	Stone worker	
First-aid attendant	. 1	Student	21
Gift shop	. 1	Tanner	1
Grocer	. 1	Taxidermist	1
Housework		Teacher	9
Laborer	. 10	Telephone operator	
Lather	. 1	Textile	84
Laundryman	. 1	Truck driver	
Lawyer	_ 2	Upholsterer	1
Machinist	_ 4	Waiter	5
Mechanic	. 6	W. P. A	3
Merchant			
THEFOLII	OHE C	OMPLICATIONS	
TUBERCUL	auus u	OMPLICATIONS	
Adenitis (cervical)	_ 4	Miliary tuberculosis of	
Anal fistula		throat	1
Ankylosis	. 1	Nephritis	
Bronchial fistula	_ 2	Obliterative pleuritis	1
Cold abscess		Oleothorax	1
Draining sinus	. 1	Otitis media (chronic)	
Empyema		Peri-anal fistula	
Enteritis		Peritonitis	2
Hydropneumothorax		Pharyngitis	4
		Pleurisy with effusion	
Hydrothorax (obliterative)		Pleurisy (fibrinous)	
Interstitial keratitis	. 1	Pott's disease	
Ischiorectal abscess		Pyopneumothorax	7
(with fistula)		Spontaneous pneumothorax	
Laryngitis .	44	Tracheobronchial tuberculosis	

Tuberculous pneumonia 1

Meningitis 2

# NON-TUBERCULOUS COMPLICATIONS

Acne		Kyphosis	
Acute appendicitis	4	Laceration of perineum	25
Adenoma	5	Lipoma	1
Adentia		Lupus	1
Anal Fissure		Lues	
Anemia (secondary)	27	Malnutrition	
Ankylosis	1	Mitral regurgitation	2
Antiflexion of uterus	1	Myocarditis	4
Arcus Senilis		Nephritis	2
Arthritis	10	Nostalgia	
Arteriosclerosis	1	Obesity	3
Artificial eye		Otitis Media	16
Blepharitis	6	Paralysis of left arm (partial)	1
Blindness (traumatic)		Paresis	
Bronchiectasis		Paresis of left eye lid	
Cardiac hypertrophy	1	Pellagra	
Carious teeth	181	Pelvic Cellulitis (chronic)	1
Chloasma	1	Perforation of nasal septum	
Clubbed fingers	1	(postoperative)	2
Conjunctivitis	_ 2	Phlebitis	
Colitis (ulcerative)		Photophobia	
Cyst (scalp)		Pneumoconiosis	3
Cystitis		Pneumonitis	3
Cystocele	18	Postoperative abscess of	
Deafness (partial)		chest wall	1
Defective speech		Pregnancy	
Defective vision		Procidentia (partial)	2
Diabetes Mellitus		Prostatitis (chronic)	2
Dermatitis		Psoriasis	1
Diseased tonsils		Psycho-neurosis	1
Endcervicitis		Pyelitis	2
Endometritis (hypertrophic)		Rectocele	15
Epididymitis		Rhinitis	
Epithelioma (squamous cell)		Ring worm (eczematoid)	
Empyema		Round worm infestation	
Erythematosis		Salpingitis	
Funnel breast		Scoliosis	
Glossitis		Sebaceous cyst on back	1
Hemorrhoids	48	Sinusitis (chronic)	
Hepatitis	. 1	Strabismus	
Herpes Zoster		Stricture of anus	1
Hookworm		Trichomonas vaginalis	5
Hypertension		Ulcer of nasal septum	4
Hyperthyroidism		Ulnar paralysis	1
Infantile vagina and uterus		Varicocele	1
Inguinal hernia		Varicose veins	1
Keratitis		Wound infection	5

### PERSONS FROM WHOM DONATIONS WERE RECEIVED

# Books and Magazines:

Mr. and Mrs. E. C. Applegate, Asheville, N. C.

Mr. Eugene Byrd, Black Mountain, N. C.

Farm School Library, Swannanoa, N. C.

American Legion, Oteen, N. C.

Mrs. Max T. Payne, Greensboro, N. C.

Mrs. I. M. Gordon, Pilot Mountain, N. C.

Mrs. O. N. Swanson, Pilot Mountain, N. C.

Rev. Guy Marlowe, Black Mountain, N. C.

Mrs. Lee Gravely, Rocky Mount, N. C.

Miss Laura M. Fleming, Black Mountain, N. C.

Mrs. J. B. Nichols, Swannanoa, N. C.

Mr. Hubert P. Lane, Cramerton, N. C.

Mrs. Francis Griffith, Ridgecrest, N. C.

Mr. C. C. Crawford, Asheboro, N. C.

Mr. W. H. Kirkendall, Black Mountain, N. C.

Miss Frances Whittemore, Reidsville, N. C.

Mrs. M. L. Stevens, Asheville, N. C.

Rev. W. Greenwood, Black Mountain, N. C.

Mr. A. C. Thompson, Address not given

Miss Ina Jean Church, Wilkesboro, N. C.

Miss Iola Hamlet, Blanche, N. C.

Mrs. Mae Jones, Asheville, N. C.

Mrs. Mae Jones, Asheville, N. C.

Miss Grace Brizendine, Rocky Mount, N. C.

Mrs. W. B. Hart, Hickory, N. C.

Mrs. Lucy O'Neal Mawyer, Danville, Va.

Mrs. J. O. Rodgers, Asheville, N. C.

Mrs. James I. Story, Marshall, N. C.

Mr. Tom Dornin, Durham, N. C.

Mr. W. H. Sherrill, Thomasville, N. C.

Miss Tazzie Coble, Burlington, N. C.

Miss Irma Quigg, Asheville, N. C.

Miss Fannie Pearl Felmet, Waynesville, N. C.

Mrs. E. W. Abee, Morganton, N. C.

Dr. Margaret Burns, Asheville, N. C.

Mr. A. F. White, Asheville, N. C.

Dr. A. D. Cooper, Durham, N. C.

Mr. Fred Gaither, Harmony, N. C.

Miss Elvern Pennington, Asheville, N. C.

Mr. L. Glasser, Asheville, N. C.

Mr. O. N. Swanson, Pilot Mountain, N. C.

Tea & Topic Club, Black Mountain, N. C.

American Legion, Oteen N. C.

Mrs. J. W. Gorham, Asheville, N. C.

Biltmore Chapter of Eastern Star, Biltmore, N. C.

Mrs. G. R. Royal, Asheville, N. C.

Mr. W. C. Honeycutt, Black Mountain, N. C. Mr. John Leeman, Swannanoa, N. C. Mrs. Minnie C. Pickens, Asheville, N. C. Mrs. Upshaw, Black Mountain, N. C. Mr. Ronald Finch, Black Mountain, N. C. Mr. Carter Uzzell, Black Mountain, N. C. Mrs. Alfred Tyson, Black Mountain, N. C. Mr. Fred Magnant, Swannanoa, N. C. Mr. and Mrs. Whiting, Oteen, N. C. Mr. and Mrs. C. Muchette, Oteen, N. C. Mr. R. L. Woodward, Black Mountain, N. C. Mrs. Lyons Lee, Asheville, N. C. Black Mountain Baptist Church Black Mountain Methodist Church Episcopal Church, Black Mountain, N. C. Swannanoa Presbyterian Church Dr. and Mrs. M. L. Stevens, Asheville, N. C. Rev. Bell, Pastor of Presbyterian Church, Black Mountain, N. C.

#### Flowers, Shrubs, and Bulbs:

Mrs. F. S. Terry, Black Mountain, N. C. Mrs. George Troutman, Hazelwood, N. C. Mountain Orphanage, Black Mountain, N. C. Plant, Flower & Fruit Guild, Asheville, N. C. State Test Farm, Swannanoa, N. C. Mrs. D. B. Alexander, Swannanoa, N. C. Putman Dahlia Farm, Black Mountain, N. C. Nettle's Nursery, Asheville, N. C. Middlemount Gardens, Inc., Asheville, N. C. Nightingale Club, Montreat College Mrs. W. H. Arthur, Asheville, N. C. Mrs. T. J. Hunter, Swannanoa, N. C. Mrs. Fred Magnant, Swannanoa, N. C. Swannanoa School Mrs. S. M. Wolfe, Swannanoa, N. C. Mrs. Perry Alexander, Swannanoa, N. C. Mr. J. B. Nichols, Swannanoa, N. C. Mrs. D. T. Alexander, Swannanoa, N. C.

#### Miscellaneous:

Chums Cove Missionary Society, Asheville, N. C. Mrs. William R. Owens, Asheville, N. C. Mrs. Fred Magnant, Swannanoa, N. C. Junior Circle Presbyterian Church, Swannanoa, N. C. Mr. Lawrence G. Barnhill, Black Mountain, N. C. Mr. L. T. Brewer, Address not given. Man's Store, Asheville, N. C. Bon Marche, Asheville, N. C.

Mrs. H. T. Warren, Durham, N. C.
Miss Leona Harrison, Asheville, N. C.
Mr. Eugene Byrd, Black Mountain, N. C.
Young Woman's Auxiliary, Calvary Baptist Church, Asheville, N. C.
Mrs. Mary Hedrick, Mountain Orphanage, Black Mountain, N. C.
Plant, Flower & Fruit Guild, Asheville, N. C.
Episcopal Church, Black Mountain, N. C.
Swannanoa Presbyterian Church
Nightingale Club, Montreat, N. C.

The hospital is deeply indebted to a number of individuals who contributed cash for a Christmas fund. Also, there were numbers of articles donated for benefit parties, the proceeds of which were placed in the Christmas fund, this fund being used for indigent patients in the hospital.

#### Revenues and Expenditures

#### MAINTENANCE FUND

For the Two Years Ended June 30, 1939 and 1940

		Fiscal Year 1938-39		Fiscal Year 1939-40	
Revenues					
Appropriation	\$	122,890.00	\$	133,775.00	
Institutional receipts		37,126.21	ĺ	59,545.99	
	\$	160,016.21	\$	193,320.99	
Expenditures					
Administration	\$	15,049.04	\$	15,885.60	
Professional care and treatment		35,414.34	1	42,565.43	
Custodial care		78,845.68		90,731.17	
Operation of plant		13,372.32		15,051.95	
Maintenance of plant		4,125.20		4,461.15	
Agriculture		2.95			
Additions and betterments		2,340.25		2,149.89	
	Ş	149,143.88	ş	170,845.19	

## AVERAGE POPULATION AND MAINTENANCE PER CAPITA COST

For the Two Years Ended June 30, 1939 and 1940

		Fiscal Year 1938-39		Fiscal Year 1939-40	
Administration	\$	81.79	ş	53.49	
Professional care and treatment	1	192.47		143.31	
Custodial care		428.51		305.49	
Maintenance of plant		22.42		15.02	
Agriculture		02			
Additions and betterments		12.72		7.24	
Operation of plant		72.67		50.68	
	\$	810.56	8	575.23	
Average number patients		184		297	

STATE LIBRARY OF NORTH CAROLINA
3 3091 00747 2699

